

Precision imaging, Caring for your pets

We are committed to meeting the ever-evolving needs of medical care, and provide advanced and reliable products and solutions for veterinary medical care, based on more than 70 years of profound accumulation of medical technology for humans and strict quality control. We respect every life and devote to continuously improve the quality of animal medical care.



Beijing Wandong Medical Technology Co., Ltd.

Address: Building 3 No.9 Jiuxianqiaodong Road, Chaoyang District,100015,Beijing, P.R.China Tel: +86-10-84575792/3/5/6

Fax: +86-10-84575794

Web: www.wandong.com.cn
E-mail: International@wandong.com.cn



TurboTom 1S VET

Veterinary Computed Tomography X-ray System





4MHU Liquid
Metal Bearing Tube

High heat dissipation low system wearing out


0.5s/360°Fast scanning fast reconstruction

0.5mm Thin-layer Scanning Million Pixels Imaging

High resolution high definition

All-round Low Dose Technology

Low noise low dose



Liquid metal Bearing

Stable performance, meeting continuous and large examination through put.

Low System Wearing out

When the anode rotates, the liquid metalbearing rotates almost without friction, resulting in less wibration, noise and heatand low system wearing out, and thus extending the service life of the tube.

High Heat Dissipation Rate

Liguid metal bearings can tightly fill the gaps between the rotor and bearing, increase the heat conduction area, achieve all-round heat exchanging, so that to ensure continuous scanning needs.

High Efficiency

No need for start-up time, shortening theoverall scanning time of the patient andmaking the examination efficient.



Low noise

The rotor and bearings soaked by liquidmetal produce low vibration and smooth rotation when working, reducing the noise of the system, and giving patient a quietexamiation environment

Exclusive, Efficient, and Versatile

Exclusive multi - task parallel system, rich image processing tools

Exclusive Efficient Animal Scanning System

Human-centered design, animal-specific protocols, multi-language interface.



Intelligent Dual Workflow System

The TurboTom 1S VET enables registration and parameter setting during patient positioning. Single-operator workflow allows simultaneous monitoring and scan preparation, improving efficiency and reducing anesthesia risk.






Multi - Task Parallel Processing Technology


Registration, scanning, reconstruction, post-processing, and archiving run simultaneously on independent threads, enhancing overall efficiency by up to 300%.




VR Volume Reconstruction

After contrast-enhanced scanning, the VR function provides clear visualization of abdominal tumors and their spatial relationship with surrounding organs.






Sagittal Abo






3D ADdominat Tumor





Axial Abdomen

\3





6/